Listing and Amendments to the Claims

This listing of claims will replace the claims that were published in the PCT Application and annexed to the International Preliminary Examination Report:

- 1. (currently amended) <u>A method</u> for securing a data packet stream, which method is characterized in that it involves comprising the following steps:
 - arranging the packets to be sent in a packet matrix of D rows and L columns;
 - to each row and each column of the matrix, applying an error correction function, the result of which is a correction packet enabling the reconstruction of at least one lost packet in the row, respectively the column, to which the error correction function is applied; and
 - sending the resulting correction packets in addition to the data packets.
- 2. (currently amended) The method Method according to Claim 1, wherein in which the correction function is also applied to the row formed by correction packets resulting from the application of the correction function to each column of the matrix generating an additional correction packet.
- 3. (currently amended) <u>The method Method</u> according to Claim 1, <u>wherein in which</u> the correction function is also applied to the column formed by correction packets resulting from the application of the correction function to each row of the matrix generating an additional correction packet.
- 4. (currently amended) The method Method according to any one of the preceding claims in which Claim 1, wherein the headers of the correction packets contain a field for distinguishing whether they have been computed on a row or a column of the matrix.

- 5. (currently amended) The method Method according to any one of the preceding claims in which Claim 1, wherein the correction packets are transmitted in the same stream as the data packets.
- 6. (currently amended) The method Method according to any one of Claims 1 to 4 in which Claim 1, wherein the correction packets are transmitted in a different stream from the one conveying the data packets.
- 7. (currently amended) <u>A method Method</u> for reconstructing lost packets in a data packet stream, which method is characterized in that it involves comprising the following steps:
 - arranging the received packets in a matrix of D rows and L columns, taking their sequence number into account; and
 - to each row and each column of the matrix containing at least one lost packet, applying a function for reconstructing missing packets using the received packets and the correction packet corresponding to the row or to the column.
- 8. (currently amended) <u>The method Method</u> according to Claim 7, <u>wherein in which</u> the reconstruction function can also be applied to a row or a column of correction packets using an additional correction packet generated for this purpose.
- 9. (currently amended) <u>A transmitter Transmitter</u> device for transmitting a data packet stream over a network containing computation means generating a correction packet by applying a correction function to a group of data packets, <u>wherein</u> and characterized in that the device contains includes means for applying this function to the rows and to the columns of a matrix formed by data packets.

- 10. (currently amended) The transmitter device Device according to Claim 9 wherein in which the means for applying the function do so according to a method described in one of Claims 1 to 6 comprises means for securing a data packet stream including the following:
 - means for arranging the packets to be sent in a packet matrix of D rows and L columns;
 - means for applying an error correction function to each row and each column of the matrix, the result of which is a correction packet enabling the reconstruction of at least one lost packet in the row, respectively the column, to which the error correction function is applied; and
 - means for sending the resulting correction packets in addition to the data packets.
- 11. (currently amended) A receiver Receiver device for receiving a data packet stream over a network containing means for computing lost packets as a function of the data packets and correction packets received, wherein characterized in that the device has means for applying these computation means to the rows and to the columns of a matrix of data packets of the stream and to the correction packets corresponding to these rows and these columns.

- 12. (currently amended) <u>The device Device</u> according to Claim 11 in which the correction packets are generated according to one of the methods described in Claims 7 and 8. comprising means for reconstructing lost packets in a data packet stream, that include the following means:
 - means for arranging the received packets in a matrix of D rows and L columns, taking their sequence number into account; and
 - means for applying a function for reconstructing missing packets to each row and each column of the matrix containing at least one lost packet, the means using the received packets and the correction packet corresponding to the row or to the column.